

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8




FIG.9

21




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG.27




FIG.28




FIG.29




FIG.30




FIG.31




FIG.32




FIG.33




FIG.34




FIG.35




FIG.36

DISPLAY PATTERN	FIRST DISPLAY AREA	SECOND DISPLAY AREA	THIRD DISPLAY AREA	FOURTH DISPLAY AREA
1	——	FLOW RATE	——	ABDOMINAL CAVITY PRESSURE
2	SpO2	FLOW RATE	BLOOD PRESSURE	ABDOMINAL CAVITY PRESSURE
3	PULSE	FLOW RATE	BLOOD PRESSURE	ABDOMINAL CAVITY PRESSURE
4	BODY TEMPERATURE	FLOW RATE	BLOOD PRESSURE	ABDOMINAL CAVITY PRESSURE

FIG.37




FIG.38




FIG.39




FIG.40

19

SUPERIMPOSED DATA SETTING SCREEN

(1) SUPERIMPOSED DISPLAY ☐ ON / ☐ OFF

(2) DISPLAY MODE ☐ PERMANENT DISPLAY / ☐ DISPLAY FOR PREDETERMINED TIME

(3) DISPLAY PATTERN 1 / 2 / 3 / 4

(4) DISPLAY PATTERN ATTRIBUTE SETTING

	FIRST DISPLAY AREA	FIRST DISPLAY AREA	FIRST DISPLAY AREA	FIRST DISPLAY AREA
PARAMETER	▼ BODY TEMPERATURE	▼ PULSE	▼ ABDOMINAL CAVITY PRESSURE	▼ NONE
COLOR	▼ WHITE	▼ WHITE	▼ WHITE	▼ YELLOW
SIZE	▼ 10	▼ 10	▼ 10	▼

(5) ERROR DISPLAY ATTRIBUTE SETTING

DISPLAY TIME ▼ 1s

DISPLAY SIZE ▼ 1s

260a

REGISTER

FIG.41




FIG.42




FIG.43




FIG.44




FIG.45




FIG.46




FIG.47




FIG.48




FIG.49




FIG.50




FIG.51




FIG.52




FIG.53




FIG.54




FIG.55




FIG.56




FIG.57




FIG.58





FIG.59



[illegible]

-165

- 68

FIG.61




FIG.62




FIG.63




FIG.64




FIG.65




FIG.66




FIG.67




FIG.68




FIG.69




FIG.70




FIG.71

